



Spouting Accessories

Suggested List Prices

Downspout Tubing



| Description | | | 20' (6.096m) Lengths | | | | 40' (12.19m) Lengths | | | |
|---------------|----------|------------|----------------------|------------|--------|-------|----------------------|------------|--------|-------|
| | | | Part Number | List Price | Weight | | Part Number | List Price | Weight | |
| | | | | | lb | kg | | | lb | kg |
| 4" [10.16cm] | 14-gauge | Galvanized | 036811 | | 71 | 32.2 | 036802 | | 142 | 64.4 |
| 6" [15.24cm] | 14-gauge | Galvanized | 001210 | | 84 | 38.1 | 036803 | | 168 | 76.2 |
| 6" [15.24cm] | 12-gauge | Galvanized | 036812 | | 140 | 63.5 | 036233 | | 280 | 127 |
| 8" [20.32cm] | 12-gauge | Galvanized | 036793 | | 187 | 84.8 | 024302 | | 374 | 169.6 |
| 10" [25.40cm] | 10-gauge | Galvanized | 036851 | | 284 | 128.8 | 036852 | | 568 | 257.6 |
| 12" [30.48cm] | 10-gauge | Galvanized | 036853 | | 342 | 155.1 | 036981 | | 684 | 310.3 |

| Description | Part Number | List Price | Weight | |
|--|-------------|------------|--------|-------|
| | | | lb | kg |
| Flex Spout 4" X 5' [10.16cm x 1.524m] | 036534 | | 7 | 3.18 |
| Roll Flex Tube 4" X 25' [10.16cm x 7.62m] | 001698 | | 33 | 15.0 |
| Flex Spout 6" X 5' [15.24cm x 1.524m] | 035175 | | 10 | 4.54 |
| Flex Spout 6" X 10' [15.24cm x 3.048m] | 036432 | | 20 | 9.07 |
| Roll Flex Tube 6" X 25' [15.24cm x 7.62m] | 036899 | | 50 | 22.7 |
| Square Flange Ring Adapter 6" [15.24cm] | 035215 | | 6 | 2.72 |
| Flex Spout 8" X 5' [20.32cm x 1.524m] | 035176 | | 16 | 7.3 |
| Flex Spout 8" X 10' [20.32cm x 3.048m] | 036433 | | 31 | 14.1 |
| Roll Flex Tube 8" X 25' [20.32cm x 7.62m] | 036987 | | 78 | 35.4 |
| Square Flange Ring Adapter 8" [20.32cm] | 035216 | | 8 | 3.63 |
| Flex Spout 10" X 5' [25.40cm x 1.524m] | 035177 | | 23 | 10.4 |
| Flex Spout 10" X 10' [25.40cm x 3.048m] | 036454 | | 46 | 20.9 |
| Roll Flex Tube 10" X 25' [25.40cm x 7.62m] | 036988 | | 445 | 201.8 |
| Square Flange Ring Adapter 10" [25.40cm] | 035217 | | 10 | 4.5 |
| Flex Spout 12" X 5' [30.48cm x 1.524m] | 036984 | | 28 | 12.7 |
| Flex Spout 12" X 10' [30.48cm x 3.048m] | 036983 | | 56 | 25.4 |
| Roll Flex Tube 12" X 25' [30.48cm x 7.62m] | 036982 | | 140 | 63.5 |
| Square Flange Ring Adapter 12" [30.48cm] | 035218 | | 15 | 6.8 |

FLEXIBLE SPOUTING



FLEXIBLE TUBE



FLANGE ADAPTOR


REQUIRES DRILLING AND BOLTING TO FLEXTUBE.




Valves

Standard and Heavy-duty


Standard 2-way Valve



Standard 3-way Valve



Standard "K" Valve




- Pricing and Dimensions -

| Description | "A" Height | | "B" Inlet | | "C" Outlet | | Part Number | List Price | Weight | |
|-------------------------------------|------------|------|----------------|-------|----------------|-------|-------------|------------|--------|------|
| | inches | cm | inches | cm | inches | cm | | | lb | kg |
| Standard X type valve 6" [15.24cm] | 14.75" | 37.5 | 6" Round tube | 15.24 | 6" Round tube | 15.24 | 034395 | | 12 | 5.4 |
| Standard Y type valve 6" [15.24cm] | 12.63" | 32.1 | 6" Round tube | 15.24 | 6" Round tube | 15.24 | 034396 | | 14 | 6.4 |
| Standard 3-way valve 6" [15.24cm] | 14.5" | 36.8 | 6" Round tube | 15.24 | 6" Round tube | 15.24 | 034397 | | 19 | 8.6 |
| Standard X type valve 8" [20.32cm] | 17.25" | 43.8 | 8" Round tube | 20.32 | 8" Round tube | 20.32 | 034398 | | 21 | 9.5 |
| Standard Y type valve 8" [20.32cm] | 18" | 54.7 | 8" Round tube | 20.32 | 8" Round tube | 20.32 | 034399 | | 23 | 10.4 |
| Standard 3-way valve 8" [20.32cm] | 18" | 54.7 | 8" Round tube | 20.32 | 8" Round tube | 20.32 | 034400 | | 34 | 15.4 |
| Standard X type valve 10" [25.40cm] | 19.75" | 50.2 | 10" Round tube | 25.40 | 10" Round tube | 25.40 | 034401 | | 28 | 12.7 |
| Standard Y type valve 10" [25.40cm] | 20.5" | 52.1 | 10" Round tube | 25.40 | 10" Round tube | 25.40 | 034402 | | 33 | 15.0 |
| Standard 3-way valve 10" [25.40cm] | 21" | 53.3 | 10" Round tube | 25.40 | 10" Round tube | 25.40 | 034403 | | 48 | 21.8 |
| Standard X type valve 12" [30.48cm] | 22" | 55.9 | 12" Round tube | 30.48 | 12" Round tube | 30.48 | 034404 | | 33 | 15.0 |
| Standard Y type valve 12" [30.48cm] | 23" | 58.4 | 12" Round tube | 30.48 | 12" Round tube | 30.48 | 034405 | | 4 | 2 |



Spouting Accessories

Suggested List Prices



| Size | | Part Number | List Price |
|--------|--------|-------------|------------|
| inches | cm | | |
| 1/8 | 0.3175 | 002072 | |
| 3/16 | 0.4762 | 002073 | |
| 1/4 | 0.636 | 002074 | |
| 5/16 | 0.7937 | 002075 | |
| 3/8 | 0.9525 | 002076 | |
| 1/2 | 1.27 | 002151 | |

3/8" Cable required (Not Included)


| Star | 6" [15.24cm] Star Trussing Kits | | | | 8" [20.32] Star Trussing Kits | | | | 10" [25.40] Star Trussing Kits | | | |
|------|---------------------------------|------------|--------|-------|-------------------------------|------------|--------|-------|--------------------------------|------------|--------|------|
| | Part Number | List Price | Weight | | Part Number | List Price | Weight | | Part Number | List Price | Weight | |
| | | | lb | kg | | | lb | kg | | | lb | kg |
| 1 | 027228 | | 73 | 33.1 | 028001 | | 84 | 38.1 | 029436 | | 100 | 45.4 |
| 2 | 027230 | | 139 | 63.1 | 028003 | | 143 | 64.9 | 028010 | | 175 | 79.4 |
| 3 | 027231 | | 189 | 85.7 | 028005 | | 194 | 88.0 | 028593 | | -- | -- |
| 5 | 027241 | | 239 | 108.4 | 028007 | | 244 | 110.7 | 029416 | | -- | -- |

| Eye - Eye Turnbuckle | | | |
|----------------------|-------|-------------|------------|
| Size | | Part Number | List Price |
| inches | cm | | |
| 1/2 | 1.27 | 003491 | |
| 5/8 | 1.587 | 003472 | |
| 3/4 | 1.905 | 003473 | |




Galvanized Drop Forged

| Cable Clamp | | | |
|-------------|--------|-------------|------------|
| Size | | Part Number | List Price |
| inches | cm | | |
| 1/8 | 0.3175 | 002077 | |
| 3/16 | 0.4762 | 002078 | |
| 1/4 | 0.635 | 002079 | |
| 5/16 | 0.7937 | 002080 | |
| 3/8 | 0.9525 | 002081 | |
| 1/2 | 1.27 | 003475 | |



| Cable Thimble | | | |
|---------------|--------|-------------|------------|
| Size | | Part Number | List Price |
| inches | cm | | |
| 3/16 | 0.4762 | 002083 | |
| 1/4 | 0.635 | 002084 | |
| 5/16 | 0.7937 | 002085 | |
| 3/8 | 0.9525 | 002086 | |
| 1/2 | 1.27 | 003474 | |






Spouting Accessories

Suggested List Price

Two-Piece Adjustable Elbow fabricated from heavy 7-gauge steel, 179" (4.55m) thick.
Includes two elbows and one swivel connector.

| 2-Piece Adjustable Elbow | | | | | |
|--------------------------|-------|-------------|------------|--------|------|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035507 | | 15 | 6.8 |
| 8 | 20.32 | 035519 | | 19 | 8.6 |
| 10 | 25.40 | 035508 | | 40 | 18.1 |
| 12 | 30.48 | 035509 | | 60 | 27.2 |


| Only 1-Piece Elbow | | | | | |
|--------------------|-------|-------------|------------|--------|------|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035376 | | 7 | 3.2 |
| 8 | 20.32 | 035465 | | 9 | 4.1 |
| 10 | 25.40 | 035377 | | 19 | 8.6 |
| 12 | 30.48 | 035378 | | 28 | 12.7 |



| Swivel-Type Flange Ring Connector | | | | | |
|-----------------------------------|-------|-------------|------------|--------|-----|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035379 | | 1 | 0.5 |
| 8 | 20.32 | 035382 | | 1 | 0.5 |
| 10 | 25.40 | 035384 | | 2 | 1 |
| 12 | 30.48 | 035385 | | 4 | 2 |




| Quick Clamp Flange Ring Connector | | | | | |
|-----------------------------------|-------|-------------|------------|--------|-----|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 036789 | | 1 | 0.5 |
| 8 | 20.32 | 036790 | | 2 | 1 |
| 10 | 25.40 | 036791 | | 3 | 1.5 |
| 12 | 30.48 | 036792 | | 3 | 1.5 |



Use the square flange ring only to discharge from round into square.

| Square Flange Ring | | | | | |
|--------------------|-------|-------------|------------|--------|-----|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035163 | | 1 | 0.5 |
| 8 | 20.32 | 035164 | | 1 | 0.5 |
| 10 | 25.40 | 035165 | | 2 | 1 |
| 12 | 30.48 | 035166 | | 4 | 2 |




May be used when discharging from square to round

| | | | | |
|------|----|----|---------|-----|
| Size | 6" | 8" | 10" | 12" |
| "A" | 7" | 9" | 11 1/2" | 12" |

| Square to Round Transition | | | | | |
|----------------------------|-------|-------------|------------|--------|------|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035455 | | 7 | 3.12 |
| 8 | 20.32 | 035458 | | 12 | 5.4 |
| 10 | 25.40 | 035461 | | 18 | 8.2 |
| 12 | 30.48 | 036431 | | 30 | 13.6 |



| Round Flange Ring | | | | | |
|-------------------|-------|-------------|------------|--------|-----|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 035178 | | 2 | 1 |
| 8 | 20.32 | 035230 | | 2 | 1 |
| 10 | 25.40 | 035180 | | 3 | 1.5 |
| 12 | 30.48 | 035181 | | 5 | 2.5 |



| | | | |
|------|--------|----|--------|
| Size | 6" | 8" | 10" |
| "A" | 9 1/2" | 9" | 8 1/2" |

| 45° Elbow | | | | | |
|-----------|-------|-------------|------------|--------|-----|
| Size | | Part Number | List Price | Weight | |
| inches | cm | | | lb | kg |
| 6 | 15.24 | 024168 | | 8 | 3.6 |
| 8 | 20.32 | 024170 | | 12 | 5.4 |
| 10 | 25.40 | 024172 | | 17 | 7.7 |
| 12 | 30.48 | 024174 | | 19 | 8.6 |