



Spouting Accessories

Suggested List Prices

Storage Rack

Basic Unit includes

- Two side legs with welded arms
- Two bottom angle iron supports
- Two back angle iron supports
- Eight bolts, lock washers, and nuts

List Price \$1,680

Part Number 046850A

- Horizontal Tube Rack is designed for storing angles, bars, pipes (etc.) over six feet long
- Racks may be lined up in a row for storing items that are too long for one rack.
- Racks are built of sturdy 2" x 4" x $\frac{3}{16}$ " (5.08cm x 10.16cm x 0.4762cm) rectangular-OD tubing.
- Racks are prewelded for easy assembly.
- Six arm levels extend four feet on 18" spacing. Finish is a dark blue-grey Enamel.
- Racks are great for tool rooms, maintenance departments, machine centers, inventory storage areas, and more.




IMPORTANT: Make sure all warning decals are affixed in their proper positions.

Please see the Conversion Table at the end of this section for metric equivalent values.



Downspout Tubing



Net Price List
(No Discounts Apply)

Description	20' Lengths			40' Lengths		
	Part Number	Weight lb kg	Net Price	Part Number	Weight lb kg	Net Price
6" 11-gauge Unpainted HR	001569	150 68	\$149	036795	300 136	\$298
6" 7-gauge Unpainted HR	001563	223 101	\$229	036796	446 202	\$458
8" 12-gauge Unpainted HR	001229	183 83	\$183	001659	366 166	\$365
8" 7-gauge Unpainted HR	001291	301 137	\$295	036797	602 273	\$590
10" 12-gauge Unpainted HR	001697	230 104	\$228	036798	460 209	\$455
10" 7-gauge Unpainted HR	001565	378 171	\$380	036799	755 342	\$759
12" 12-gauge Unpainted HR	022317	277 126	\$289	036800	553 251	\$551
12" 7-gauge Unpainted HR	001566	454 206	\$444	036801	909 412	\$888
		0			0	
4" 14-gauge Galvanized	036811	71 32	\$ 74	036802	142 64	\$149
6" 14-gauge Galvanized	001210	84 38	\$182	036803	168 76	\$189
6" 12-gauge Galvanized	036812	140 64	\$137	036233	280 127	\$274
8" 12-gauge Galvanized	036793	187 85	\$199	024302	374 170	\$397
10" 10-gauge Galvanized	036851	284 129	\$281	036852	568 258	\$563
12" 10-gauge Galvanized*	036853	342 155	\$437	036981	684 310	\$873
* Hot Dipped						

Description	Part Number	Weight lb kg	Net Price
4" x 5' (4" x 1.524 m) Flex Spout	036534	7 3	\$60
4" x 25' (4" x 7.62 m) Roll Flex Tube	001698	33 15	\$189
		0	
6" x 5' (6" x 1.524 m) Flex Spout	035175	10 5	\$67
6" x 10' (6" x 3.048 m) Flex Spout	036432	20 9	\$119
6" x 25' (6" x 7.62 m) Roll Flex Tube	036899	50 23	\$319
6" Square Flange Ring Adapter	035215	6 3	\$41
		0	
8" x 5' (8" x 1.524 m) Flex Spout	035176	16 7	\$77
8" x 10' (8" x 3.048 m) Flex Spout	036433	31 14	\$136
8" x 25' (8" x 7.62 m) Roll Flex Tube	036987	78 35	\$306
8" Square Flange Ring Adapter	035216	8 4	\$41
		0	
10" x 5' (10" x 1.524 m) Flex Spout	035177	23 10	\$132
10" x 10' (10" x 3.048 m) Flex Spout	036454	46 21	\$237
10" x 25' (10" x 7.62 m) Roll Flex Tube	036988	445 202	\$520
10" Square Flange Ring Adapter	035217	10 5	\$73
		0	
12" x 5' (12" x 1.524 m) Flex Spout	036984	28 13	\$167
12" x 10' (12" x 3.048 m) Flex Spout	036983	56 25	\$299
12" x 25' (12" x 7.62 m) Roll Flex Tube	036982	140 64	\$561
12" Square Flange Ring Adapter	035218	15 7	\$95

FLEXIBLE SPOUTING



FLEXIBLE TUBE




FLANGE ADAPTOR

REQUIRES DRILLING AND BOLTING TO FLEXTUBE.



Valves

Standard and Heavy-duty




Part Number	Description	"A" Height		"B" Inlet	"C" Outlet	Weight		List Price
		inches	cm			lb	kg	
034395	6" Standard "X" type valve	14 ³ / ₄	36.42	6" Round tube	6" Round tube	12	5	\$169
034502	6" Heavy-duty "X" type valve	10	25.40	6" Square flange	6" Round flange	19	9	\$727
034396	6" Standard "Y" type valve	12 ⁵ / ₈	32.07	6" Round tube	6" Round tube	14	6	\$210
034533	6" Heavy-duty "Y" type valve	12 ¹ / ₂	31.75	6" Square flange	6" Round flange	23	10	\$876
034397	6" Standard 3-way valve	14 ¹ / ₂	36.83	6" Round tube	6" Round tube	19	9	\$267
034558	6" Heavy-duty 3-way valve	14	35.56	6" Square flange	6" Round flange	35	16	\$924
034398	8" Standard "X" type valve	17 ¹ / ₄	43.81	8" Round tube	8" Round tube	21	10	\$227
034516	8" Heavy-duty "X" type valve	12 ¹ / ₂	31.75	8" Square flange	8" Round flange	29	13	\$683
034399	8" Standard "Y" type valve	18	45.72	8" Round tube	8" Round tube	23	10	\$217
034541	8" Heavy-duty "Y" type valve	16 ¹ / ₂	41.91	8" Square flange	8" Round flange	39	18	\$704
034400	8" Standard 3-way valve	18	45.72	8" Round tube	8" Round tube	34	15	\$256
034567	8" Heavy-duty 3-way valve	20	50.80	8" Square flange	8" Round flange	65	29	\$1,220
034401	10" Standard "X" type valve	19 ³ / ₄	50.16	10" Round tube	10" Round tube	28	13	\$261
034524	10" Heavy-duty "X" type valve	15 ¹ / ₂	39.37	10" Square flange	10" Round flange	41	19	\$853
034402	10" Standard "Y" type valve	20 ¹ / ₂	52.07	10" Round tube	10" Round tube	33	15	\$304
034549	10" Heavy-duty "Y" type valve	20	50.80	10" Square flange	10" Round flange	60	27	\$953
034403	10" Standard 3-way valve	21	53.34	10" Round tube	10" Round tube	48	22	\$385
034404	12" Standard "X" type valve	22	55.88	12" Round tube	12" Round tube	33	15	\$302
034405	12" Standard "Y" type valve	23	58.42	12" Round tube	12" Round tube	4	2	\$383
034406	12" Standard 3-way valve	23 ³ / ₈	59.37	12" Round tube	12" Round tube	62	28	\$434



Spouting Accessories

Suggested List Prices



Galvanized Cable 7x19 (per foot)			
inches	Size	Part Number	List Price
	centimeters		
1/8"	0.3175	002072	\$ 0.44
3/16"	0.4762	002073	\$ 0.49
1/4"	0.635	002074	\$ 0.56
5/16"	0.7937	002075	\$ 0.60
3/8"	0.9525	002076	\$ 1.05
1/2"	1.27	002151	\$ 1.68

3/8" Cable required (Not Included)

Star	6" Star Trussing Kits				8" Star Trussing Kits				10" Star Trussing Kits			
	Part Number	Weight lb	kg	List Price*	Part Number	Weight lb	kg	List Price*	Part Number	Weight lb	kg	List Price
1	027228	83	38	\$380	028001	84	38	\$451	029436	100	45	\$1,175
2	027230	139	63	\$557	028003	143	65	\$610	028010	175	79	\$1,735
3	027231	189	86	\$908	028005	194	88	\$954	028593	-	-	\$2,584
5	027241	239	108	\$2,656	028007	244	111	\$2,708	029416	-	-	\$4,325

Eye - Eye Turnbuckle


Size inches	cm	Part Number	List Price
1/2"	1.27	003491	\$53
5/8"	1.587	003472	\$22
3/4"	1.905	003473	\$117



Galvanized Drop Forged


Cable Clamp

Size inches	cm	Part Number	List Price
1/8"	0.3175	002077	\$ 0.77
3/16"	0.4762	002078	\$ 0.88
1/4"	0.635	002079	\$ 1.06
5/16"	0.7937	002080	\$ 1.22
3/8"	0.9525	002081	\$ 1.29
1/2"	1.27	003475	\$ 1.53



Cable Thimble

Size inches	cm	Part Number	List Price
3/16"	0.4762	002083	\$1.34
1/4"	0.635	002084	\$1.58
5/16"	0.7937	002085	\$1.13
3/8"	0.9525	002086	\$1.29
1/2"	1.27	003474	\$1.47



Manufactured by



Division of **GLOBAL Industries, Inc.**
9364 N. 45th Street - Omaha, NE 68152
Phone (402) 453-6912
www.necousa.com




Spouting Accessories

Suggested List Price

Two-Piece Adjustable Elbow fabricated from heavy 7-gauge steel, 179" thick.
Includes two elbows and one swivel connector.


2-Piece Adjustable Elbow				
Size	Part Number	Weight		List Price
		lb	kg	
6"	035507	15	7	\$273
8"	035519	19	9	\$291
10"	035508	40	18	\$244
12"	035509	60	27	\$309
1-Piece Elbow Only 0				
6"	035376	7	3	\$127
8"	035465	9	4	\$134
10"	035377	19	9	\$111
12"	035378	28	13	\$142




Swivel Type Flange Ring Connector				
Size	Part Number	Weight		List Price
		lb	kg	
6"	035379	1	0.5	\$13
8"	035382	1	0.5	\$15
10"	035384	2	1	\$17
12"	035385	4	2	\$22



Quick Clamp Flange Ring Connector				
Size	Part Number	Weight		List Price
		lb	kg	
6"	036789	1	0.5	\$61
8"	036790	2	1	\$56
10"	036791	3	1.5	\$71
12"	036792	3	1.5	\$81



Use the square flange ring only to discharge from round into square.



May be used when discharging from square into round.


Square Flange Ring				
Size	Part Number	Weight		List Price
		lb	kg	
6"	035163	2	1	\$12
8"	035164	2	1	\$15
10"	035165	3	1.5	\$23
12"	035166	5	2.5	\$31

Size	6"	8"	10"	12"
A	7"	9"	11½"	12"
cm:	17.78	22.86	29.21	30.48

Square to Round Transition				
Size	Part Number	Weight		List Price
		lb	kg	
6"	035455	7	3	\$147
8"	035458	12	5	\$155
10"	035461	18	8	\$188
12"	036431	30	14	\$236



Round Flange Ring				
Size	Part Number	Weight		List Price
		lb	kg	
6"	035178	2	1	\$14
8"	035230	2	1	\$16
10"	035180	3	1.5	\$23
12"	035181	5	2.5	\$31



Size	6"	8"	10"
A	9½"	9"	8½"
cm:	24.13	22.86	21.59

45° Elbow				
Size	Part Number	Weight		List Price
		lb	kg	
6"	024168	8	4	\$44
8"	024170	12	5	\$56
10"	024172	17	8	\$93
12"	024174	29	13	\$187

Manufactured by



Division of GLOBAL Industries, Inc.
9364 N. 45th Street - Omaha, NE 68152
Phone (402) 453-6912
www.necousa.com



Conversion Table				
Length Conversion ' = foot or feet " = inch or inches ¼" = 0.635 cm ½" = 1.27 cm ¾" = 1.905 cm 1" = 2.54 cm 1¼" = 3.175 cm 1½" = 3.81 cm 1¾" = 4.445 cm 2" = 5.08 cm 3" = 7.62 cm 3.2" = 8.128 cm 4" = 10.16 cm 5" = 12.7 cm 6" = 15.24 cm 7" = 17.78 cm 7½" = 19.05 cm 8" = 20.32 cm 9" = 22.86 cm 10" = 25.40 cm 11" = 27.94 cm 12" = 30.48 cm 13" = 33.02 cm 14" = 35.56 cm 15" = 38.10 cm 16" = 40.64 cm 18" = 45.72 cm 18.4" = 46.74 cm 20" = 50.8 cm 22" = 55.88 cm 24" = 60.96 cm 27" = 68.58 cm 28" = 71.12 cm 30" = 76.2 cm 30½" = 77.47 cm 32" = 81.28 cm 33" = 83.82 cm 36" = 91.44 cm 43" = 109.2 cm 52" = 132.1 cm 63" = 160 cm	1' = 0.3048 meters 2' = 0.6096 meters 3' = 0.9144 meters 4' = 1.219 meters 4'8" = 1.422 meters 5' = 1.524 meters 6' = 1.829 meters 7' = 2.134 meters 7'6" = 2.286 meters 8' = 2.438 meters 9' = 2.743 meters 10' = 3.048 meters 11' = 3.353 meters 12' = 3.658 meters 13' = 3.962 meters 14' = 4.267 meters 15' = 4.572 meters 16' = 4.877 meters 17' = 5.182 meters 18' = 5.486 meters 19' = 5.791 meters 20' = 6.096 meters 21' = 6.401 meters 22' = 6.706 meters 23' = 7.01 meters 24' = 7.315 meters 25' = 7.62 meters 26' = 7.925 meters 27' = 8.23 meters 28' = 8.534 meters 29' = 8.839 meters 30' = 9.144 meters 31' = 9.449 meters 32' = 9.754 meters 33' = 10.06 meters 34' = 10.36 meters 35' = 10.67 meters 36' = 10.97 meters 37' = 11.28 meters 38' = 11.58 meters 39' = 11.89 meters	40' = 12.19 meters 41' = 12.5 meters 42' = 12.8 meters 43' = 13.11 meters 44' = 13.41 meters 45' = 13.72 meters 46' = 14.02 meters 47' = 14.33 meters 48' = 14.63 meters 49' = 14.94 meters 50' = 15.24 meters 51' = 15.54 meters 52' = 15.85 meters 53' = 16.15 meters 54' = 16.46 meters 55' = 16.76 meters 56' = 17.07 meters 57' = 17.37 meters 58' = 17.68 meters 59' = 17.98 meters 60' = 18.29 meters 61' = 18.59 meters 62' = 18.9 meters 63' = 19.2 meters 64' = 19.51 meters 65' = 19.81 meters 66' = 20.12 meters 67' = 20.42 meters 68' = 20.73 meters 69' = 21.03 meters 70' = 21.34 meters 71' = 21.64 meters 72' = 21.95 meters 73' = 22.25 meters 74' = 22.56 meters 75' = 22.86 meters 76' = 23.16 meters 77' = 23.47 meters 78' = 23.77 meters 79' = 24.08 meters	80' = 24.38 meters 81' = 24.69 meters 82' = 24.99 meters 83' = 25.3 meters 84' = 25.6 meters 85' = 25.91 meters 86' = 26.21 meters 87' = 26.52 meters 88' = 26.82 meters 89' = 27.13 meters 90' = 27.43 meters 91' = 27.74 meters 92' = 28.04 meters 93' = 28.25 meters 94' = 28.65 meters 95' = 28.96 meters 96' = 29.26 meters 97' = 29.57 meters 98' = 29.87 meters 99' = 30.18 meters 100' = 30.48 meters 101' = 30.78 meters 102' = 31.09 meters 103' = 31.39 meters 104' = 31.7 meters 105' = 32 meters 106' = 32.31 meters 107' = 32.61 meters 108' = 32.92 meters 109' = 33.22 meters 110' = 33.53 meters 111' = 33.83 meters 112' = 34.14 meters 113' = 34.44 meters 114' = 34.75 meters 115' = 35.05 meters 116' = 35.36 meters 117' = 35.66 meters 118' = 35.97 meters 119' = 36.27 meters	120' = 36.58 meters 121' = 36.88 meters 122' = 37.19 meters 123' = 37.49 meters 124' = 37.8 meters 125' = 38.1 meters 126' = 38.4 meters 127' = 38.71 meters 128' = 39.01 meters 129' = 39.32 meters

Conversion Factors			
Abbreviations ' = foot or feet " = inch or inches lb = pound kg = kilogram cm = centimeter m = meter hp = horsepower kW = kilowatt hz = hertz	Distance and Length centimeter x 0.394 = inches centimeter x 0.03281 = feet meter x 3.281 = feet inches x 2.540 = centimeters feet x 30.48 = centimeters feet x 0.3049 = meters	Weight and Mass pounds x 0.454 = kilogram kilogram x 2.205 = pounds	Power horsepower x 0.746 = kilowatts kilowatts x 1.34 = horsepower